




Parts Manual

Model: TX31 Mini Round Baler




Frame Assy



	Drawing No.	Name.	Quantity
1	YK50. 1-01-00	YK0850 Front Frame CP	1
	YK70. 1-01-00	YK0870 Front Frame CP	1
3	YK70. 1-02	Connecting Plate	1
4	GB5786-86	Bolt M10x25 (8.8)	4
6	YK50. 1-03-00	YK0850 Pivot Pipe CP	1
	YK70. 1-03-00	YK0870 Pivot Pipe CP	1
7	YK70. 1-04	Top Cover	2
8	YK70. 1-05	Sleeve	2
9	GB70. 1-20 00T	HEXAGON SOCKET HEAD SCREW M12*30 (10.9)	1
10	GB5786-86	Bolt M12x30 (8.8)	3
11	GB1152-79	Grease Nipple ONB6 M6x1	2
12	GB97. 1-85	Washer 12.5x3.2	2
13	YK70/ 1-06	Hanging Plate	1
14	YK50. 1-07-00	Rear Frame CP YK0850	1
	YK. 1-07-00	Rear Frame CP YK0870	1
15	YK70. 1-08	Steel Plate	2
16		Square Neck Bolt M8x15 (8.8)	4
17	GB710-86	NutM8 (8.8)	4
18	YK70. 1-09	Ejector Rod CP	1
19	GB97. 1-85	Washer 10	1
20	GB91-87	Split Pin. 3.2x16	1
21	YK70. 1-10	Extension Spring A	2
22	GB93-87	Spring Washer 22	2
24	YK70. 1-11-00	Connecting Arm CP: R	1
25	YK70. 1-12-00	Connecting Arm CP: L	1
26	YK70. 1-13	Connection Pin	2
27	GB710-86	Hexagon Nut M22XI. 5 (8.8)	2
28	YK70. 1-14-00	Supporting Rod CP; 450A	1
29	HB4187-198 9	Bayonet Pin 9	1
30	YK70. 1-21	Cover	1
31	YK50. 1-15	YK0850 Rear Cover	1


	YK70. 1-15	YK0870 Rear Cover	1
32	YK70. 1-16	Wheel Axis	2
33	GB5786-86	Bolt M12x70 (8.8)	2
34	Gb710-86	Nylon Locking Nut M12	2
35	GB6710-86	HEXagon NUT M14	2
36	GB6710-87	Washer 14	4
37	GB97. 1-85	Flat Washer 8	9
38	GB1192-82 (400-12)	Tire 5.70/5.00-8	2
39	GB5786-86	Bolt M8x16 (8.8)	9
40	YK70. 1-17	Hub	2
41	GB5786-86	Bolt M12x55 (8.8)	2
42		Cover	2
43		Cover	2
44		Bush	2
45	GB297-84	Bearing 6205-2RS	4
46	GB6710-86	HEX NUT M20 (8.8)	2
47		Caster; 100	1
49	YK70. 1-18	Topper Connecting Pin	1
50			1
51	DIN11024-1973	Battle Pin; 9	1
55	YK70. 1-21	Warning Sticker	1
56	YK70. 1-22	Warning Sticker	1
57	YK70. 11-1 9	Warning Sticker	1
58	YK70. 1-23	Sticker: factory name	1
60	GB6710-86	Hexagon Nut M10 (8.8)	4
61	GB93-87	Spring Washer 10	5
62	GB5786-86	Bolt M8x25 (8.8)	2
63	GB6710-86	Hexagon Nut M12	8
64	GB93-87	Spring Washer 12	8
65	YK70. 1-19-00	Bracket CP	1
66	GB5786-86	Hexagon Bolt M10x25 (8.8)	1
67	GB5786-86	Hexagon Bolt M10x50 (8.8)	2
68	GB93-87	Spring Washer 14	2
69	YK70. 1-24	Sticker: RPM	1
	YK70. 1-20-00	Cover Shell Bracket: CP	6
	GB/T12-198 8	Square Neck Bolt: M8x20 (8.8)	10
	GB6710-86	Nut: M8 (8.8)	12
	GB93-87	Spring Washer: 8	12
	GB1192-82 (400-12)	Inner Tire; 16x6. 50-8	2

Gearbox Assy



No.	Drawing No.	Name	Quantity
1	YK70. 2-01	Input Shaft	1
2	YK70. 2-02	Gear Box	1
3	YK70. 2-03	Gear Box	1
4	YK70. 2-04	Bevel Gear 12T	1
5	YK70. 2-05	Bevel Gear 22T	1
6	YK70. 2-10	Shim	2
7	GB1096-79	Flat Key 7x7x25	2
8	YK70. 2-06	Shaft	1
9	GB297-84	Bearing 6305-2RS	1
10	GB297-84	Bearing 6305	1
11	GB297-84	Bearing 6304-2RS	1
12	JB2600-80	Oil Seal D40x62x10	1
13	JB2600-80	Oil Seal D25x45x7	1
14	JB2600-80	Oil Seal D25x52x8	1
15	GB894. 1-86	Shaft Retaining Ring 25	1
16	GB5786-86	Bolt M10x25 (8.8)	6
17	GB5786-86	Bolt M10x35 (8.8)	4
18	GB5786-86	Bolt M10x50 (8.8)	8
19		Screw Plug; M10	1
20		Screw Plug Washer: 10	1
21	YK70. 2-10	Plug	1
22	YK70. 2-07	Sprocket CP; 16T	1
23	YK70. 2-08	Flange	1
24	GB5786-200 0	Shear Bolt; M6x30	11
25	GB6710-86	Nut M6	11
26		Bush	2
27	YK70. 2-11	Shaft Sleeve PIC; 35	1
28	GB893. 1-86	Retaining Washer 62	1
29	GB1152x79	Grease Nipple ONA M6X1	1
33	YK70. 2-09	Steel Plate; 4.5	1
34	GB297-84	Bearing 6007-2RS	1
35	GB297-84	Bearing 6206	1
36	GB93-87	Spring Washer 10	18
37	GB6710-86	Nut M10 (8.8)	12


Roller Assy



No.	Drawing no.	Name	Quantity
1	YK70. 3-01	Sprocket; 22T	11
		Shaft 25. 5x0. 6	10
2	YK70. 3-02	Sprocket; 22T	1
3	YK70. 3-03	Bush; A	9
4	YK70. 3-04	Bush; B	1
5	YK70. 3-05-00	Roller CP; 1	5
6	YK70. 3-06-00	Roller CP; 2	1
7	YK70. 3-07-00	Roller CP; 3	3
8	YK70. 3-08-00	Roller CP; 4	1
9	YK70. 3-09-00	Flange CP	10
10	YK70. 3-10-00	Flange CP	10
11	GB7810-87	Spherical Ball Bearings CS205-2RS	20
12	GB/T 7813-1998	Bearing Seat	18
13	YK70. 3-11	Cover Plate	1
14	GB5786-86	Bolt M8x20 (8.8)	48
15	GB5786-86	Bolt M8x25 (8.8)	3
16	GB5786-86	Bolt M8x30 (8.8)	9
17	GB894. 1-86	Shaft Retaining Ring 25	10
18	YK70. 3-12	Cover Plate	1
19		Rivet; 6x6	18
20		Rivet; 6x10	2
21	GB6710-86	Nut M12	9
22	GB860-87	Washer; 13x4.5	9
23	GB93-87	Spring Washer 12	9
25	YK70. 3-13	Bush	1


No.	Drawing No.	Name	Quantity
1	YK70. 3-01	Sprocket; 22T	13
2	YK70. 3-02	Sprocket; 22T	1
3	YK70. 3-03	Bush; A	11
4	YK70. 3-04	Bush; B	1
5	YK70. 3-05-00	Roller CP; 1	7
6	YK70. 3-06-00	Roller CP; 2	2
7	YK70. 3-07-00	Roller CP; 3	2
8	YK70. 0-08-00	Roller CP; 4	1
9	YK70. 3-09-00	Flange CP	12
10	YK70. 3-10-00	Flange CP	12
11	GB7810-87	Spherical Ball Bearing CS205	24
12	GB/T 7813-1998	Bearing Seat	22
13	YK70. 3-11	Cover Plate	1
14	GB5786-8 6	Bolt M8x20 (8.8)	57
15	GB5786-8 6	Bolt M8x25 (8.8)	3
16	GB5786-8 6	Bolt M8x30 (8.8)	12
17	GB894. 1	Shaft Retaining Ring 25	12
18	YK70. 3-1 2	Cover Plate	1
19	GB710-8 6	Nut M12	11
20	GB97. 1-8 5	Flat Washer	11
21	GB97-87	Spring Washer 12	11
22			
23			
24			
25	YK70. 3-1 3	Bush	1

Chain Transmission Assy



No.	Drawing No.	Name	Quantity
1	YK70. 4-01-00	Pulley Bracket CP; A	1
2	YK70. 4-02-00	Pulley Bracket CP; B	1
3	YK70. 4-.03	Tension Plate	1
4	GB5786-86	Spring Water. Bolt M8x25 (8.8)	2
5	GB860-87	Washer 8	2
6		Shaft 650	1
7		Steel Wire Retaining Ring; S	1
9	YK70. 4-04	Pulley CP	6
12		Shaft Retaining Ring 17	5
13	YK50. 4-05	Pull Rod YK0850	2
	YK70. 4-05	Pull Rod YK0870	2
14	GB97. 1-85	Flat Washer 10	2
15	GB	Nylon Locking Nut M10	2
16	GB91-87	Split Pin 3.2x16	2
17	GB860-87	Washer 21x1.5	2
18	GB91-87	Split Pin 3.2x32	2
19	YK70. 4-06	Spring	2
20	YK70. 4-07	Spring Seat	2
21	GB/T1243-2006	Chain 50SH-144-1 YK0850	1
	GB/T1243-2006	Chain 50SH-168-1 YK0870	1
22	GB/T1243-2006	Chain 50SH-126-1 YK0850	1
	GB/T1243-2006	Chain 50SH-146-1 YK0850	1
23	GB/T1243-2006	Chain 10A-42x1	1
24	GB/T1243-2006	Chain Joint 50SH	3


Pickin-Up Assy



No.	Drawing No.	Name	Quantity
1	YK70. 5-01-00	Picking-Up Assy Bracket CP	1
2	YK70. 5-02-00	Picking-Up Assy Bracket CP; R	1
3	YK70. 5-03-00	Picking-Up Assy Bracket CP; L	1
4	GB5786-86	Bolt M8x20 (8.8)	5
5	YK70. 5-18	Cover; 9	5
6	YK70. 5-04	Steel Plate	1
7	YK70. 5-05	Axis	1
8	GB91-87	Split Pin 5x36	1
9	GB93-87	Spring Washer	1
10	GB5786-86	Bolt M8x25 (8.8)	3
11	YK70. 5-06	Protecting Spring Teeth	11
12	GB5786-86	Bolt M8x20 (8.8)	22
13	RBT08020	HEXAGON SOCKET FLAT HEAD SCREW; M8x20 (10.9)	22
14	YK70. 5-07-00	Teeth Rod CP	4
15	YK70. 5-08	Spring	24
16	GB5786-86	Bolt M8x55 (8.8)	24
17	GB/T3098. 9-2002	Nylon Locking Nut M8	24
18	GB7810-87	Bearing 6201-2RS (35x12x10)	4
19	GB894. 1-8 6	Shaft Retaining Ring 12	4
20	YK70. 5-09	Leading Track	1
21	YK70. 5-10	Nylon Sleeve	8
22	YK70. 5-11-00	Racket CP	2
23	GB/T 70. 3-2008	HEX SOCKET COUNTERSUNK HEAD SCREW; M8x20 (10.9)	4
24	YK70. 5-12	Shim	2
25	GB91-87	Split Pin 5x56	8
26	GB860-87	Washer 35x1.2	12
27	YK70. 5-13	Spring Teeth Assy CP	1
28		Side Cover Shield (Optional) CP; R	1
29		Side Cover Shield (Optional) CP; L	1
30		Plum Nut (Optional) M8	4
31		B Pin 19x3	2
32	GB860-87	Washer	3
33		D Shackle; 6-1/4	2

34		Rectangle Welding Chain 4x23Px32	1
35	YK70. 5-15	Axis	1
36	GB5786-86	Bolt M10x70 (10.9)	2
37	GB/T3098. 9-2002	Nylon Locking Nut M10	2
38	YK70. 5-16	Steel Plate	1
39	GB5786-86	Bolt M8x12 (8.8)	2
40	YK70. 5-17	Cover	1
41	GB860-87	Washer 10	2
42	GB860-87	Washer 43x3.5	8
43	GB93-87	Spring Washer 8	28
44	GB6710-86	Washer 8	24
45	GB6710-86	Nut M8 (8.8)	4
46	GB93-87	Spring Washer 10	2


Picking-Up Sprocket Assy



No.	Drawing No.	Name	Quantity
1	YK70. 6-01-00	Sprocket Cover CP	1
2	YK70. 6-02	Dust Cover	1
3		Plum-Shaped Bolt M8x14	3
4	GB7810-87	Bearing CS204-2RS	1
5	YK70. 6-18	Bearing Cover	1
6		Bearing Seat PFL204	1
7	YK70. 6-03	Tension Disc	1
8	GB5786-86	Bolt M10x65 (8.8)	4
9	YK70. 6-04	Spring	4
10	GB97. 1-85	M20x1.5 GB9457	1
11	GB5786-86	Bolt M8x25 (8.8)	2
12	GB91-87	Split Pin 4x25	1
13	GB860-87	Washer; 20	1
14	GB/T 7813-1998	Bearing Seat PFL205	2
15	GB7810-87	Spherical; Ball Bearings CS205-2RS	1
16	GB5786-86	Bolt M10x20 (8.8)	2
17	YK70. 6-05	Friction Disc	1
18	YK70. 6-06	Bush	1
19	YK70. 6-07	Friction Washer	2
20	YK70. 6-08	Sprocket; RS50x19T	1
21	YK70. 6-09	Sprocket; RS50x32T	1
22	YK70. 4-04	Pulley CP	1
23	GB/T13680-1992	Square Nut	1
24	YK70. 6-11	Bush	1
25	GB5786-86	Bolt M10x40 (8.8)	1
26	GB860-87	Washer 12	1
27	GB/T1243-20-06	Chain 10A-59x1	1
28	GB/T7813-1992	Bearing Seat PF206	2
29	GB7810-87	Bearing CS206-2RS	1
30	GB5786-86	Bolt M10x20 (8.8)	3
31	GB5786-86	Bolt M12x45 (8.8)	1
32	YK70. 6-12	Up-Down Rod CP	1
33	YK70. 6-13	Brake Plate	1
34	YK50. 6-14	Pull Rod RXYK0850	1
	YK70. 6-17	Pull Rod RXYKo870	1
35	YK70. 6-15	Fork;10x40	1

36	GB882-86	Pin; 10x40	1
37	GB91-87	Split Pin 3.2x16	1
38	GB5786-86	Bolt M10x30 (8.8)	1
39	GB/T3098. 9-2002	Nylon Locking Nut M10	1
40	JB/Z0 4340-2006	Disc Washer 10	2
41	YK70. 6-10	Handle Sleeve; 12	1
42	YK70. 6-17	Extension Spring; H	2
43		Adjustable Screw; M10	2
44	GB6710-86	Nut M10 (8.8)	6
45	GB97. 1-85	Flat Washer 10	1
46		Elbow Bend (Optional) CP; R	1
47		Elbow Bend (Optional) CP; L	1
48		Shield (Optional)	1
49		9 Pin (Optional) 8x1.6	2
50		Square Neck Bolt M8x15 (Optional)	4
51	GB6710-86	Nut (Optional) M8	4
52	GB860-87	Washer 21x1.5	1
53	GB860-87	Washer; 10	4
54		Joint 10A	1
56		Coupling Part 10A	1
57	GB93-87	Spring Washer 10	2
58	GB93-87	Spring Washer 12	2
59	GB93-87	Spring Washer 10	3
	GB6710-86	Nut; M12	1
	GB860-87	Washer; 25x35x1.2	1
		Shim; 25.5x0.6	1
	GB91-87	Split Pin; 3.2x3.2	1
	GB860-87	Washer; 13x4.5	1


Twine Binding Bracket Assy



No.	Drawing No.	Name	Quantity
1	YK70. 7-01-00	Twine Clip Plate CP; 1	1
2	GB5786-86	Bolt M8x20 (8.8)	6
4	YK70. 7-02-00	Pressure Plate CP	1
5	YK70. 7-03	Tension Plate CP	1
6	GB97. 1-85	Washer 12	2
7	GB91-87	Split Pin 3.2x16	2
8	GB6710-86		6
9	GB6710-86	Nut M8	1
10	GB5786-86	Bolt M8x20	4
11	YK70. 7-04	Cam	1
14	YK70. 7-05	Retaining Ring 25	1
17	GB/T290-98	Single-Direction Rolling Bearing HK2520 (25x32x20)	1
18	GB297-84	Bearing 6005-2RS (25x47x12)	2
19	GB484. 1-86	Shaft Spring Retaining Ring 25	1
23	GB/T 80-2000	HEXAGON SOCKET SET SCREW M8x20	1
24	YK50. 7-06	Twine Pulley YK0850	1
	YK70. 7-06	Twine Pulley YK0870	1
25	YK70. 7-07	Pull Spring	2
26	YK70. 7-08	Slot Plate	1
27	YK70. 7-09	COMPRESSION SPRING	2
28	GB5786-86	Bolt M6x50	2
29	YK70. 7-10	Pulley CP	2
30	GB5786-86	Bolt M8x30 (8.8)	2
31	GB97. 1-85	Flat Washer 8	5
32	GB6710-86	Nut M8	2
33	YK70. 7-11	Twine Hook	1
36	GB/T3098. 9-2002	Nylon Locking Nut M6	2
37	GB97. 1-85	Flat Washer 6	2
40	YK70. 7-12	Adjustable Lever CP	1
41	YK70. 7-13	Fork 8x32	1
42	YK70. 7-14	Pin 8x30	1
43	GB6710-86	Nut M8	1
44	GB97. 1-85	Washer 8	2
45	GB91-87	Split Pin 3.2x16	1
46	YK70. 1-85	Fork Rod CP	1
47	GB97. 1-85	Flat Washer 12	1
48	GB91-87	Split Pin 3.2x16	1
49	YK70. 7-16	Spring Rod CP	1
50	YK70. 7-17	PRESSURE PD	1

51	GB5786-86	Bolt M6x20	2
52	GB6710-86	Nut M6	2
53	Gb97. 1-85	Flat Washer 6	2
54	GB97.1-85	Flat Washer 8	1
55	GB91-87	Split Pin 3.2x16	1
56	YK70. 7-18	Twine Ring	1


Twine Binding Support Assy



No.	Drawing No.	Name	Quantity
1	TK70. 8-01-00	Support Rod CP; 2	1
2	GB5786-86	Bolt M8x20 (8.8)	2
3	GB6710-86-2006	Nut M8	2
4	GB5786-86	Bolt M8x20 (8.8)	2
5	YK70. 8-02-00	Rubber Racket CP	1
6	YK70. 8-03	Rubber Washer	1
7	YK70. 8-04	Bush	1
8	YK70. 8-05	Sleeve	1
9	GB5786-86	Bolt M8x80 (8.8)	1
10	GB6710-86	Nut M8 (8.8)	1
11	GB93-87	Spring Washer 8	2
12	YK70. 8-06-00	Swing Arm CP	1
13	GB119-86	CYLINDRICAL PIN	1
14	GB1152x79	Grease Nipple AM6x1	2
15	GB97. 1-85	Flat Washer 6	2
16	GB879-86	Spring Cylindrical Pin 5x36	1
17	GB894. 1-86	Shaft Spring Retaining Spring 15	1
18	GB97. 1-85	Washer 17x1.5	1
19	YK70. 8-08-00	Support Rod CP; 1	1
20	YK70. 8-09-00	Bracket	1
21	YK70. 8-10-00	Support Rod	1
22	YK70. 8-11	Nylon Sleeve	5
23	YK70. 8-12	TORSION SPRING	1
24	YK70. 8-13-00	Pulley Bracket CP; 3	1
25	JB/ZQ4340-2006	Spring Disc Washer	3
26	GB6710-86	Nut M8 (8.8)	2
27	GB97. 1-85	Flat Washer 17x1.5	1
28	GB879-86	Spring Cylindrical Pin 5x32	1
29	GB97. 1-85	Flat Washer 8	4
30	GB5786-86	Bolt M8x20 (8.8)	4
31	GB1152x79	Grease Nipple ONA6 M6x1	1
32	GB1152x79	Grease Nipple ONA6 M6x1	1
33	GB879-86	Spring Cylindrical Pin 6x36	1
34	YK70. 8-15	Extension Spring; H	1
35	YK70. 8-16	Extension Spring; H	1
36	YK70. 8-07	Screw; M8	1
37	GB6710-86	Nut M8 (8.8)	2
38	YK70. 8-17-00	Slot Pressure Pad	1


39	YK70. 8-18	COMPRESSION SPRING; A	1
40	YK70. 7-10	Pulley CP	2
41	GB97. 1-85	Flat Washer 8	1
42		Opening Retaining Ring 5	1
43	YK70. 8-19-00	Knife Bracket	1
44	YK70. 8-14	Knife	1
45	GB/T3098-9-2002	Nylon Locking Nut M8	1
46	GB/T 5280-2002	Self-Tapping Screw M3x6	1
47	GB5786-86	Bolt M8x20 (8.8)	1
48	GB97. 1-85	Washer 8	1
49	YK70. 8-20	Rubber Washer	1
50	YK70. 8-21	Nylon Washer	1
51	GB819-1985	Cross COUNTERSUNK HEAD SCREW M8x35 (10.9)	2
52	GB/T3098. 9-2002	Nylon Locking Nut M8	3
53	GB/T3098. 9-2002	Nylon Locking Nut M6	1
54	YK70. 8-22	Plate	1
55	YK50. 8-22	Plate YK0850	1
56	GB6786-86	Bolt M8x16 (8.8) YK0850	1
57	GB6710-86	Nut M8 (8.8) YK0850	1
58	GB97. 1-85	Flat Washer 16	1
61	YK70. 8-23	Buzzer Switch Racket	1
62	GB5786-86	Bolt M8x20 (8.8)	2
63		Switch	1
54	GBT 818-2000	Cross Crew M4x30	2
65	GB6710-86	Nut M4 (8.8)	2
66	GB97. 1-85	Flat Washer; 4	2
	GB93-87	Spring Washer; 4	2
			1
		Twine Clamp	1
		Plastic Clip; 2.5x100	1

Reducer Assy




No.	Drawing No.	Name	Quantity
1	YK70. 9-01	Worm	1
2	GBT 9877-2008	Lip Seal FB15x35x8	1
3	GB893. 1-86	Holes Circlips 35	2
4	GB297-84	Bearing 6202	2
5	YK70. 9-02	Sealing Cover KRCA3507	1
6	YK7309-03	Wormgear	1
7	YK70. 8-04	Worm-Wheel Shaft	1
8	GB297-84	Bearing 6203	1
9	GB297-84	Ball Bearing 6005-2RS	1
10	D30507	Oil Seal FB30x50x7	1
11	GB893. 1-86	Retaining Ring 47	1
12	GB1096-79	Flat Key 5x5x25 (A)	1
13	YK70. 9-05	Cover	1
14	YK70. 9-06	Case	1
15	GB5786-86	Bolt M6x16 (8.8)	4
16	YK70. 9-07	Oil Port Bolt	1
17	YK70. 9-08	Rubber Washer	1
18	GB3452. 1-82	O-Rubber Seal G-60	1
19	GB93-87	Spring Washer 6	4

Topper Cover Rod



No.	Drawing No.	Name	Quantity
1	YK70. 10-01	Indicator Board	1
2	YK70. 10-02	Fork Plate	1
3	YK70. 10-03-00	Connecting Plate	2
4	YK70. 10-04	Topper Cover	2
5	YK50. 10-05	EXTENSION SPRING YK0850	2
	YK70. 10-05	EXTENSION SPRING YK0870	2
6	YK50. 10-06-00	Indicator Rod YK0850	1
	YK70. 10-06-00	Indicator Rod YK0870	1
7	YK50. 10-07	Pull Rod YK0850	1
	YK70. 10-07	Pull Rod YK0870	1
8	YK50. 10-08-00	Connecting Rod YK0850	2
	GB6710-86	Connecting Rod YK0870	2
9	YK70. 10-09	Nut M8	1
10	YK70. 10-09	Shaft Sleeve	2
11	GB93-87	Spring Washer 10	2
12	GB6710-86	Nut 10	2
13	YK70. 10-10	Hook; R	1
14	YK70. 10-11	Hook; L	1
15	GB5786-86	Bolt M10x35 (8.8)	2
16	GB5786-86	Bolt M10x20 (8.8)	1
17	GB6710-86	Nut M8 (8)	4
18	GB91-87	Split Pin 3.2x32	3
19	GB97. 1-85	21x.1.5 Washer	3
20	GB5786-86	Bolt M8x25 (8.8)	2
21	GB97. 1-85	Washer 8	4
22	GB5786-86	Bolt M8x75 (8.8)	2
23	GB/T30989-2002	Nylon Locking Nut M8	2
24		B-Pin 8x1.6	1
25	YK70. 7-13	Connecting Yoke; 8x32	2
26	YK70. 7-14	Connecting Pin; 8x32	2
27	GB91-87	Split Pin 3.2x16	2
29	YK70. 10-12	EXTENSION SPRING 2,3X18X68	2
30	YK70. 10-13	EXTENSION SPRING; H	1
31	YK70. 10-14	Pull Rod; M10	1
32	GB6710-86	Nut M10 (8)	4
33	GB93-87	Washer 10	2
34		Sticker	1


35	YK70. 10-15	Adjusting Shim 10.5x0.27	-
36	GB5786-86	Bolt M10x35 (8.8)	2



No.	Drawing No.	Name	Quantity
1	YK50. 11-01-00	Front Cover Housing CP; L YK0850	1
	YK70. 11-01-00	Front Cover Housing CP; L YK0870	1
2	YK50. 11-02-00	Front Cover Housing CP; R YK0850	1
	YK70. 11-02-00	Front Cover Housing CP; R YK0870	1
3	YK50. 11-03-00	Rear Cover Housing CP; L YK0850	1
	YK70. 11-03-00	Rear Cover Housing CP; L YK0870	1
4	YK50. 11-04-00	Rear Cover Housing CP; R YK0850	1
	YK70. 11-04-00	Rear Cover Housing CP; R YK0870	1
5	YK50. 11-05-00	Cover Housing CP; L YK0850	1
6	YK50. 11-06-00	Cover Housing CP; R YK0850	1
7	YK70. 11-07	Star Handle; 50	8
8	JB/ZQ4340-2006	Disc Spring Washer	32
9	GB97. 1-85	Flat Washer 8	16
10	GB879-86	Spring Cylindrical Pin 4x16	8
11	GB5786-86	Bolt M8x16 (8.8)	4
12	YK70. 11-08	Reflector; R-80CI	2
13	GB6710-86	Nut M5	2
20	YK70. 11-09	Magnet	1
21	YK50. 11-10-00	Gate; CP YK0850	1
	Yk70. 11-10-00	Gate; CP YK0870	1
22	GBT 818-2000	Cross Head Screw M6x12	2
23	GB97. 1-85	Washer 6	2
24	GB6710-86	Nut M6	2
25	YK50. 11-11-00	Cover Box CP YK0850	1
	YK70. 11-11-00	Cover Box CP YK0870	1
26	GB5786-86	Bolt M8x20 (8.8)	4
27	GB6710-86	Nut M8	4
28	GB5786-86	Bolt M8x20 (8.8)	4
29	GB97. 1-85	Flat Washer 8	4
30	YK50. 11-12-00	Cover Housing; CP	1

		YK0850	
	YK70. 11-12-00	Cover Housing; CP YK0870	1
31	GB5786-86	Bolt M8x20 (8.8)	8
32	GB97. 1-85	Flat Washer 8	8
35	YK70. 11-13	Sticker	1
36	YK70. 11-14	Sticker	1
37	YK70. 11-15	Sticker	1
38	YK70. 11-16	Warning Sticker	2
39	YK70. 11-17	Sticker	1
40	YK70. 11-18	Warning Sticker	1
41	YK70. 11-19	Warning Sticker	2
42	YK50. 11-20	Warning Sticker; 850L YK0850	1
	YK70. 11-20	Warning Sticker; 870L YK0870	1
43	YK50. 11-21	Warning Sticker; 850R YK0850	1
	YK70. 11-21	Warning Sticker; 870R YK0870	1
44	YK70. 11-22	Name of Manufacturer	3
45	YK70. 11-23	Sticker	1
46	YK70. 11-24	Sticker	1
	GB93-87	Spring Washer	2

Hydraulic Pump Assy



No.	Drawing No.	Name	Quantity
1	YK70. 12-04-00	Hydraulic Pump Station; 95R	1
2	GB97. 1-85	Washer 10	2
3	GB93-87	Spring Washer 10	2
4	GB5786-86	Bolt M10x25 (8.8)	2
5	YK70. 12-01	Check Sleeve	1
6	GB1096-79	Flat Key 5x5x20 (B Type)	1
7	YK70. 12-02	Small Pulley 9T	1
8	GB97. 1-85	Washer 6	1
9	GB93-87	Spring Washer 6	1
10	GB5786-86	Bolt M6x16 (8.8)	1
11	YK70. 12-03	Large Pulley 43T	1
12	GB6710-86	Nut M12 (8.8)	1
13	GB97. 1-85	Washer; 13x4.5	1
14	GB93-87	Spring Washer 12	1
15	GB/T1243-2006	Chain 08A-86x1	1
16	GB/T1243-2006	Chain Joint 08A	1
18	YK70. 12-05	Connecting Board	1
19	GB5786-86	Bolt M8x16 (8.8)	1
20	YK70. 12-06	Connecting Rod	1
21	GB97. 1-85	Washer 8	1
22	GB91-87	Split Pin 3.2x16	1
23		B-Pin 8x1.6	1
24	YK70. 12-07	Plate	1
25	GB5786-86	Bolt M8x25 (8.8)	1
26	GB/T3098. 9-2002	Nylon Locking Nut M8	1
27	YK70. 12-08	Nylon Rop 6x3500	1
30	YK70. 12-09-00	Cylinder CSH35x210x375	1
31		Conical Female and Male Outside Coupler G1/4xR1/4	1
32		90° Conical Male Inside Coupler G1/4xR1/4	1
33	GB/T12223-2005	Control Volve RC1/4	1
34		Male Coupler R1/4	1
35	GB/T8100-1987	Single-Direction Throttle Valve RC1/4	1
36	GB/T1277-99	Rubber Bose G1/4x1000	2
37	YK70. 12-10	Bush; 35	2
38		Plastic Hoop 2.5x251	3

39		Plastic Hoop 4.8x251	2
43		90° Conical Male Inside Coupler G1/4xR1/4	4
44		90° Female Coupler G1/4	2
45	GB5786-86	Bolt M16x80 (8.8)	2
46	GB/T3098. 9-2002	Nylon Locking Nut M6	2